

Ice-O-Matic®

Ice. Pure and Simple™

50 Hz CATALOGUE

COMMERCIAL ICE MACHINES
AND ACCESSORIES

Effective Date: 01.01.21



TABLE OF CONTENTS

About Ice-O-Matic	3
General Information	4 - 5
Model Number Guide	6
Ice Form Series Guide	7
<hr/>	
UCG Gourmet Series - Undercounters	8
<hr/>	
ICE Series Cube Ice Makers - Undercounters	9
<hr/>	
Elevation Features	10
Elevation Series Cube Ice Makers - 22" Modular	11
Elevation Series Cube Ice Makers - 30" Modular	11 - 12
Elevation Series Cube Ice Makers - 48" Modular	12
Elevation Series Modular - Accessories	12
<hr/>	
GEM Series Pearl Ice® Makers - Modular	14
GEM Series Pearl Ice® Makers / Ice & Water Dispensers	14
GEM Series Pearl Ice® Makers - Accessories	15
MFI Series Flake Ice Makers - Modular	16
MFI Series Flake Ice Makers - Accessories	16
<hr/>	
Remote Condensers & Accessories	17
<hr/>	
Countertop & Hotel Ice Dispensers	18
<hr/>	
Ice Dispenser Accessories & Kits	19
Storage Bins & Accessories	20
<hr/>	
Ice Machine & Bin Configurations	21
<hr/>	
Water Filtration Systems & Accessories	22 - 23

ABOUT ICE-O-MATIC

Located in Denver, Colorado, Ice-O-Matic is a leading global manufacturer of a wide range of commercial ice-making products including cube ice makers, Pearl Ice® ice makers, flake ice makers, storage bins, dispensers and water filters. Since 1952 we have developed new technologies and programs, such as our new Elevation Series™ of cubers which are more efficient for business and safer for the environment.



ICE WITH A CLEAR CONSCIENCE

Sustainability

Ice-O-Matic offsets the carbon footprint of its Denver factory by using recycled packaging materials. We also recycle our industrial and office waste products.

Made in the U.S.A.

A U.S.-based company with over 200 employees nationwide, Ice-O-Matic provides and creates American jobs. Ice-O-Matic is committed to producing quality products, and to the hundreds of workers who make it happen. Ice-O-Matic products are designed and assembled in America.





SIZING YOUR ICE-O-MATIC ICE MAKER

- Does the existing ice maker meet peak usage during the hottest time of the year?
- Where are the various ice stations in the establishment that will need ice?
- Will multiple ice stations be serviced from one or multiple ice makers?
- For future growth, consider building in at least 20 percent additional ice capacity on new installations.

APPROXIMATE ICE USAGE PER DAY

FOOD SERVICE

Restaurant	700 g per person
Cocktail	1.4 kg per person per seat
Salad Bar	641 kg per cubic meter
Quick Service	140 g per 207- to 296 ml drink / 230 g per 355- to 473 ml drink / 340 g per 532- to 710 ml drink

LODGING

Guest Ice	2.3 kg per room
Restaurant	700 g per person
Cocktail	1.4 kg per person per seat
Catering	450 g per person

HEALTHCARE

Patient Ice	4.5 kg per bed
Cafeteria	450 g per person

CONVENIENCE STORE

Beverage	170 g per 355 ml drink / 280 g per 592 ml drink / 450 g per 946 ml drink
Cold Plate	50% more ice usage per day
Package Ice	Weight per bag x number of bags sold per day

NOTE: The chart above outlines the approximate required ice amount per day, depending on application usage. For a detailed calculation based on specific needs, use the interactive Machine Size Configurator at: iceomatic.com/products/calculator/configurator#.

ICE-O-MATIC INSTALLATION CONSIDERATIONS

Allow Enough Space for the Following Elements

- The ice maker, bin and water filter
- Airflow

Utilities

- What are the voltage and amperage characteristics of the electrical outlet that will be used for this ice maker?
- Is there a floor drain within 1.8 meters?
- Is there a water source with water shutoff?
- Are the utilities within 1.8 meters of the ice-maker location?

Remote Installation

- Is there an outdoor condenser location above the ice maker?
- Is there easy roof access and penetration?
- Maximum precharged tubing line run considerations?



ICE MAKER WARRANTY

Every Ice-O-Matic ice maker is backed by a warranty that provides both parts and labor coverage. To register products, view the warranty details or check your warranty status, visit the "Warranty Registration" page at: iceomatic.com/warranty.

Cube Ice Makers - CIM and ICE Series

- Three years Parts/Labor.
- Five years Parts on evaporators and compressors.
- Includes remote condensers.

Flake Ice Makers - MFI Series

- Three years Parts/Labor.
- Five years Parts coverage on the compressor

Pearl Ice® Ice Makers - GEM Series

- Modular - Three years Parts and Labor.
- Countertop Dispenser - Two years Parts/Labor.
- Modular/Dispenser - Five years Parts coverage on the compressor.

Gourmet Ice Makers - UCG Series

- Two years Parts and Labor.

Dispensers - CD Series

- Three years Parts/Labor.

Storage Bins

- Two years Parts/Labor.

Water Filter Manifold Systems

- One year Parts/Labor (excluding cartridges).

Accessories

- One year Parts only.

Residential Installation

- All commercial machines installed in residential applications have 1-year Parts warranty.

TERMS AND CONDITIONS

- This Catalogue is effective January 1, 2021.
- Specifications are subject to change without notice.
- All units tested per 810 and 820 AHRI standards based on 32°C air and 21°C water.
- All height dimensions of bins and ice makers with built-in storage include the height of the legs or casters where applicable.
- For a full listing of Terms and Conditions, visit the "Compliance and Supply Chain" link at: iceomatic.com/supply-chain.



NOTE: TUV Certification is for cubers only.



MODEL NUMBER GUIDE

Elevation Series™ - Cube Ice Makers

<u>CIMO335FA</u>	—	CIM	Model CIM = Cube Ice Modular Series
		O3	Basic Family Size (kg/24 hr): O3/O4/10 = 136/182/454 kg
		3	Machine Width (mm): 3 = 768 mm, 2 = 565 mm, 4 = 1226 mm
		5	Unit Electrical Characteristics: 5, 6, 7 ***
		F	Cube Type: H = Half, F = Full, G = Grande
		A	Condenser Type: A = Air, W = Water, R = Remote

UCG Series - Gourmet Ice Makers

<u>UCGO65A</u>	—	UCG	Model CIM = Cube Ice Modular Series
		O6O	Basic Family Size (kg/24 hr): O6/O8/10/13 = 28/37/46/59 kg
		5	Unit Electrical Characteristics: 5, 6, 7 ***
		G	Cube Type: G = Gourmet, GG = Gourmet Grande
		A	Condenser Type: A = Air Cooled

Pearl Ice® & Flake Ice Makers

<u>GEMO955A</u>	—	GEM	Model GEM = Modular Pearl Ice®
		O95	Basic Family Size (kg/24 hr): Approximately 431 kg
		5	Unit Electrical Characteristics: 5, 6 ***
		A	A = Air Cooled, W = Water Cooled, R = Remote Condenser

Remote Condensers

<u>RCA2061-HM</u>	—	RCA	RCA = Remote Condenser for Cubers RGA = Remote Condenser for Pearl/Flaker
		20	Denotes Coil Size
		6	Unit Electrical Characteristics: 6 ***
		1	Number of Circuits: 1
		HM	(blank) = With Head Master, -HM = No Head Master

Storage Bins

<u>B25</u>	—	B	Model B = Bin
		25	Capacity Range: 25 - 1600 = 250 - 753 kg

Water Filter Systems

<u>IF14C</u>	—	IF1	Filter Type: IF1 = Ice-O-Matic Filter, INLINE TYPE
		4	Fitting Size: 4 = 6.35 mm, 8 = 9.525 mm
		C	Fitting Type: C = Compression
<u>IFQ1</u>	—	IFQ	Filter Type: IFQ = Ice-O-Matic Filtration System, IFQ Series
		1	Number of Cartridges: 1 = Single, 2 = Dual

*** Unit Electrical Characteristics
5 - 220-240/50/1

ICE FORM SERIES GUIDE

GOURMET SERIES™ Cube Ice Series - Undercounters



Gourmet (G)

(H) 31.75 mm
(Dia.) 25.5 mm



Half (H)

(H) 10 mm
(W) 22 mm
(D) 22 mm



Full (F)

(H) 22 mm
(W) 22 mm
(D) 22 mm

ELEVATION SERIES™ Cube Ice Makers - Modular



Half (H)

(H) 10 mm
(W) 22 mm
(D) 22 mm



Full (F)

(H) 22 mm
(W) 22 mm
(D) 22 mm



Grande (GR)

(H) 31 mm
(W) 29 mm
(D) 22 mm

PEARL Ice® Makers



Pearl (P)

(H) 12.7 mm
(Dia) 9.5 mm

FLAKE Ice Makers







Flake (F)






UCG Gourmet Series - Undercounters

Model Dimensions (mm)	Model Number	Ice Production (kg/24 hr)			Bin Storage (kg)	Condensing Unit	Voltage Units	Ship Weight (kg)
		10°C Water 10°C Air	21°C Water 10°C Air	32°C Water 21°C Air				
	UCG045A	25	20.5	18	8	Air	230/50/1	37
	UCG065A	28	27	21.5	8	Air	230/50/1	37
	UCG085A	40	38.5	31	15	Air	230/50/1	41
	UCG105A	48	47.5	38	22	Air	230/50/1	44
	UCG135A	57	58	47	22	Air	230/50/1	45
	UCG165A	73	69	63	40	Air	230/50/1	52

UCG Gourmet Series Ice Maker Accessories		
Model Number	Description	Shipping Weight (kg)
1011411-87	True Undercounter Leg for UCG105A, UCG135A and UCG165A.	1.8



ICE SERIES™ Cube Ice Makers - Undercounters

Model Dimensions (mm)	Model Number	Ice Production (kg/24 hr)		Half or Full Cube	Condensing Unit	Voltage Units	Ship Weight (kg)
		21°C Water 32°C Air	10°C Water 21°C Air				
	ICEU225A	96	65	H/F	Air	220-240/50/1	73
	ICEU225W	95	79	H/F	Water	220-240/50/1	73
	ICEU305A	136	101	H/F	Air	220-240/50/1	93
	ICEU305W	143	121	H/F	Water	220-240/50/1	92





THE ELEVATION SERIES™


REFRESHINGLY SIMPLE INNOVATION

The new and groundbreaking Elevation Series from Ice-O-Matic is designed to simplify life. Our cube ice machines are easy to clean, easy to service, simple to operate, and environmentally responsible without sacrificing productivity. The Elevation Series provides clean, dependable ice from an astonishingly user-friendly and energy-efficient machine designed to work as hard as you. We believe design simplicity equals operational excellence, and innovation goes beyond just adding bells and whistles.



SEALED FOOD ZONE

Unparalleled food safety. The only ice maker in the industry with a sealed food zone.




DUAL EXHAUST

Groundbreaking technology allows hot-air discharge from the side or the top of every unit for the ultimate in flexibility.




SNAP IN AND OUT PLASTIC PARTS

Sanitation has never been easier. Parts snap in and out and are dishwasher safe, no bottle brushes or tools required.



STANDARD AIR FILTER

Cleaning made easy, removable and washable filter comes standard on Elevation Series machines.







ONE-TOUCH CLEANING

One touch to sanitize, one touch to de-lime. LEDs signal when cleaning is required.






Model Dimensions (mm)	Model Number	Ice Production (kg/24 hr)		Half or Full Cube	Condensing Unit	Voltage Units	Ship Weight (kg)
		21°C Water 32°C Air	10°C Water 21°C Air				
 CIMO325 - CIMO525	CIMO325A	100	132	H / F	Air	220-240/50/1	68
	CIMO525A	193	240	H / F	Air	220-240/50/1	75
 CIMO825 - CIM1125	CIMO825A	329	418	H / F	Air	220-240/50/1	100
	CIMO825R*	369	414	H / F	Remote	220-240/50/1	100
	CIM1125A	374	425	H / F	Air	220-240/50/1	105
	CIM1125R*	420	469	H / F	Remote	220-240/50/1	98

Model Dimensions (mm)	Model Number	Ice Production (kg/24 hr)		Half or Full Cube	Condensing Unit	Voltage Units	Ship Weight (kg)
		21°C Water 32°C Air	10°C Water 21°C Air				
 CIMO335 - CIMO635	CIMO335A	100	132	H / F	Air	220-240/50/1	66
	CIMO435A	161	209	H / F	Air	220-240/50/1	71
	CIMO535A	193	240	H / F	Air	220-240/50/1	71
	CIMO535R*	193	222	H / F	Remote	220-240/50/1	73
	CIMO535W	216	241	H / F	Water	220-240/50/1	71
	CIMO635A	204	265	H / F	Air	220-240/50/1	73
 CIMO835 - CIM1135	CIMO835A	329	418	H/F/GR	Air	220-240/50/1	100
	CIMO835R*	369	413	H/F/GR	Remote	220-240/50/1	100
	CIM1135A	374	425	H / F	Air	220-240/50/1	105
	CIM1135R*	420	470	H / F	Remote	220-240/50/1	107
	CIM1135W	420	467	H / F	Water	220-240/50/1	102

* See Page 17 for RCA/RGA Series Remote Condensers.



ELEVATION SERIES™ Cube Ice Makers - Modular

Model Dimensions (mm)	Model Number	Ice Production (kg/24 hr)		Half or Full Cube	Condensing Unit	Voltage Units	Ship Weight (kg)
		21°C Water 32°C Air	10°C Water 21°C Air				
 CIM1545 ON B110	CIM1545A	549	708	H / F	Air	220-240/50/1	141
	CIM1545R*	613	725	H / F	Remote	220-240/50/1	127
	CIM1545W	616	728	H / F	Water	220-240/50/1	136
	CIM1845A	606	778	H / F	Air	220-240/50/1	141
	CIM1845R*	689	780	H / F	Remote	220-240/50/1	136
	CIM1845W	691	787	H / F	Water	220-240/50/1	136


* See Page 17 for RCA/RGA Series Remote Condensers.



ELEVATION SERIES™ Modular Accessories

CIM Modular Ice Maker Accessories		
Model Number	Description	Ship Weight (kg)
BPF-1	Filler Panel Kit with 768 mm CIM and ICE Series™ Cube Ice Makers for B110 bins only	4
KBT5	Bin Top for 768 mm CIM and ICE Series Cube Ice Makers including the ICE1506 family for B100 bin	14
KBT23	Bin Top for (1) 565 mm CIM Series Ice Makers on a B110 bin	10
KBT222	Bin Top for (2) 565 mm CIM Series Ice Makers on a B110 bin	15
KCFS9-22*	Mounting kit for Coca-Cola Freestyle 9000 with 565 mm CIM Series Ice Cube Makers	2.5
KCFS91-22*	Mounting kit for Coca-Cola™ Freestyle 9100 with 565 mm CIM Series Ice Cube Makers	2.5
KCFS71-30	Mounting kit for Coco-Cola™ Freestyle 7000/7100 with 768 mm CIM Series Ice Cube Makers	2.5
KCFS9-30*	Mounting kit for Coco-Cola™ Freestyle 9000 with 768 mm CIM Series Ice Cube Makers	5
KCFS91-30*	Mounting kit for Coco-Cola™ Freestyle 9100 with 768 mm CIM Series Ice Cube Makers	2.5
KCUBEDISP	Bin-level kit for Cornelius and Lancer dispensers with 768 mm CIM Series including the ICE1506 Ice Cube Makers	.5

* Adapter from Coca-Cola™ also required.




HOTELS

Do You Have a Small
Space and a Big
Appetite for Ice?



HEALTHCARE

When All You Can Eat
is Ice, It Better Be Good,
Abundant, and Clean.



EDUCATION

You Take Care of Your
Students, We'll Take
Care of the Ice.

We Have a Solution.

Ice-O-Matic


Ice-O-Matic



THE PEARL ICE® SERIES




PEARL Ice® Makers
- Modular

Model Dimensions (mm)	Model Number	Ice Production (kg/24 hr)		Pearl Ice	Condensing Unit	Voltage Units	Ship Weight (kg)
		21°C Water 32°C Air	10°C Water 21°C Air				
 GEMO655	GEMO655A	224	302	P	Air	220-240/50/1	93
	GEMO655W	262	317	P	Water	220-240/50/1	91
	GEMO955A	349	478	P	Air	220-240/50/1	110
	GEMO955W	420	512	P	Water	220-240/50/1	100



PEARL Ice® Makers &
Ice Water Dispensers

Model Dimensions (mm)	Model Number	Ice Production (kg/24 hr)		Pearl Ice	Bin Storage (kg)	Condensing Unit	Voltage Units	Ship Weight (kg)
		21°C Water 32°C Air	10°C Water 21°C Air					
	GEMD275A*	86	114	P	5.5	Air	230/50/1	73

* Unit includes cord sets

**Pearl Ice Makers - Accessories & Bin Tops** *(Required per the following configurations)*

Model Number	Description	Ship Weight (kg)
BPF-1	Filler Panel Kit with 768 mm GEM Series Ice® Makers for B110 bins only	4
KBT5	Bin Top for 768 mm GEM Series Ice® Makers on a B100 bin	14
KBT19	Bin Top for 534 mm GEM Series Ice® Makers on a B110 bin	10
KBT222	Bin Top for (2) GEM Series Ice® Makers on a B110 bin	15
KBT23	Bin Top for (1) GEM Series Ice® Makers on a B110 bin	15
KBT24	Bin Top for (1) GEM Series Ice® Makers on a 565 mm bin	5
KGEMDISP	Kit required when mounting GEM Series Ice® Makers to beverage dispenser (Cornelius and Lancer)	.5
KGEMFS	Mounting and bin level ice control kit, required for installation of 534 mm GEM Series Ice® Makers on Coca-Cola™ Freestyle dispenser model 9000. Requires Coke Adapter to match Freestyle dispenser color.	3
KFS7-G	Ice Control Kit, required for installation of 534 mm GEM Series Ice Makers on a Coca-Cola Freestyle dispensers model 7000.	3
KBTF230	Bin Kit for (2) 768mm GEM Series Ice Makers on 1524 mm bins only	.5







THE FLAKER ICE SERIES



FLAKE Ice Makers
- Modular

Model Dimensions (mm)	Model Number	Ice Production (kg/24 hr)		Flaker Ice	Condensing Unit	Voltage Units	Ship Weight (kg)
		21°C Water 32°C Air	10°C Water 21°C Air				
 MFIO805	MFIO805A	245	333	F	Air	220-240/50/1	93
	MFIO805W	274	334	F	Water	220-240/50/1	91
	MFI1255A	408	572	F	Air	220-240/50/1	98
	MFI1255W	454	558	F	Water	220-240/50/1	104

Model Dimensions (mm)	Model Number	Ice Production (kg/24 hr)			Bin Storage	Flaker Ice	Condensing Unit	Voltage Units	Ship Weight (kg)
		10°C Water 10°C Air	21°C Water 10°C Air	32°C Water 21°C Air					
 ICEFI155	ICEFI155A	70	67	53	-	F	Air	230/50/1	59
	ICEFI155W	73	68	56	-	F	Water	230/50/1	59






Flaker Ice Makers Accessories

Flaker Ice Makers - Accessories & Bin Tops (Required per the following configurations)

Model Number	Description	Ship Weight (kg)
BPF-1	Filler Panel Kit with 768 mm MFI Series Ice Makers for B110 bins only	8
KBT5	Bin Top for 768 mm MFI Series Ice Makers including the for B100 bin	30
KBT19	Bin Top for 534 mm MFI Series Ice Makers on a B110 bin	22
KBT222	Bin Top for (2) MFI Series Ice Makers on a B110 bin	33
KBT23	Bin Top for (1) MFI Series Ice Makers on a B110 bin	33
KBT24	Bin Top for (1) MFI Series Ice Makers on a 565 mm bin	10
KGEMDISP	Kit required when mounting MFI to beverage dispenser (Cornelius and Lancer)	1
KGEMFS	Mounting and bin level ice control kit, required for installation of 534 mm MFI Series Ice Makers on Coca-Cola™ Freestyle dispenser model 9000. Requires Coke Adapter to match Freestyle dispenser color.	5
KFS7-G	Ice Control Kit, required for installation of 534 mm MFI Series Ice Makers on a Coca-Cola Freestyle dispensers model 7000	5
KBTF230	Bin Kit for (2) 768mm MFI Series Ice Makers on 1524 mm bins only	1



Model Dimensions (mm)	Model Number	Description	Voltage Units	Ship Weight (kg)
	RCA-1061	Remote Condenser for model CIM0535R	208-230/50/1	44
	RCA-2061	Remote Condenser for models CIM0825R, CIM0835R, CIM1135R	208-230/50/1	50
	RCA-3061	Remote Condenser for models CIM1545R, CIM1845R	208-230/50/1	50

Remote Condenser Accessories		
Model Number	Description	Ship Weight (kg)
RT325404	8 meter Precharged Tubing Kit for units using R-404A refrigerant	6
RT340404	12.5 meter Precharged Tubing Kit for units using R-404A refrigerant	9
RT375404	23 meter Precharged Tubing Kit for units using R-404A refrigerant	17
GRILL10	Optional Grill Guard Kit for RCA-1061 and RGA-1061-HM	4
GRILL20	Optional Grill Guard Kit for RCA-2061	6

Air Filter Accessories		
Model Number	Description	Ship Weight (kg)
AFK-1	Magnetic Air Filter kit for CIM300, CIM400, CIM500 and CIM600 Series	3
AFK-2	Magnetic Air Filter kit for CIM0825, CIM0835, CIM1125 and CIM1135	3
AFK-3	Magnetic Air Filter kit for CIM1445	3



Model Dimensions (mm)	Model Number	Dispenser Operation	Bin Storage (kg)	Voltage Units	Ship Weight (kg)
	CD40522*	Push Activated	55	220-240/50/1	104
	CD40530**	Push Activated	81	220-240/50/1	100

* Accepts only 565mm Machines / ** Accepts only 768mm Machines





Ice Dispenser Accessories		
Model Number	Description	Ship Weight (kg)
KWGFID	Water glass filler kit for CD40522 (Field installed only)	1
KGEMDISP	Kit required when mounting GEM to beverage dispenser (Cornelius and Lancer)	.5
KCUBEDISP*	Bin-level kit for Cornelius and Lancer dispensers with 768 mm CIM Series Cube Ice Makers (Bin stat & deflector included)	.5
KFS7-22*	Mounting kit for Coca-Cola Freestyle 7000 & 7100 with 565 mm ICE Series Cube Ice Makers	4
KFS7-30*	Mounting kit for Coca-Cola Freestyle 7000 & 7100 with 768 mm ICE Series Cube Ice Makers	5
KCFS71-30*	Mounting kit for Coca-Cola Freestyle 7000 & 7100 with 768 mm CIM Series Cube Ice Makers	4
KCFS9-22*	Mounting kit for Coca-Cola Freestyle 9000 with 565 mm CIM Series Cube Ice Makers	3
KCFS91-22*	Mounting kit for Coca-Cola Freestyle 9100 with 565 mm CIM Series Cube Ice Makers	3
KCFS91-30*	Mounting kit for Coca-Cola Freestyle 9100 with 768 mm CIM Series Cube Ice Makers	7
KCFS9-30*	Mounting kit for Coca-Cola Freestyle 9000 with 768 mm CIM Series Cube Ice Makers	5
KGEMFS	Mounting and bin level ice control kit, required for installation of 565 mm Pearl Ice Makers on Coca-Cola Freestyle dispenser model 9000. Requires Coca-Cola Adapter to match Freestyle dispenser (Red, Silver or Black)	3

* Adapter from Coca-Cola™ also required.





Dispenser Kits - Required per the following configurations							
Model No.	Style	CIM Series Cube Ice Makers		ICE Series Cube Ice Makers		GEM Series Ice Makers	
		565 mm wide	768 mm wide	565 mm wide	768 mm wide	565 mm wide	768 mm wide
GENERIC DISPENSER	Lancer/Serv-end Etc.	KCUBEDISP	KCUBEDISP	KCUBEDISP	KCUBEDISP	KGEMDISP	KGEMDISP
CD40522	565 mm Hotel Dispenser	△	N/A	△	N/A	N/A	N/A
CD40530	768 mm Hotel Dispenser	N/A	△	N/A	△	N/A	N/A
FS7000	768 mm Countertop Coke Dispenser	KCUBEDISP	KCFS71-30	KFS7-22	KFS7-30	KFS7-G	N/A
FS7100	768 mm Countertop Coke Dispenser	KCUBEDISP	KCFS71-30	KFS7-22	KFS7-30	KFS7-G	N/A
FS9000	565 mm Freestanding Coke Dispenser	KCFS9-22	KCFS9-30	KIBD-01	KIBD-30	KGEMFS	N/A
FS9100	565 mm Freestanding Coke Dispenser	KCFS91-22	KCFS91-30	KFS91-22	KIBD91-30	KGEMDISP	N/A
PEPSI SPIRE	768 mm Countertop Coke Dispenser	KCUBEDISP	KCUBEDISP	KCUBEDISP	KCUBEDISP	KGEMDISP	KGEMDISP

This information is subject to change. Please visit our website www.iceomatic.com for the most recently updated kit information.

△ Kit not required / N/A - Ice Machine and Dispenser not applicable



Storage Bins

Model Dimensions	Model Number	Bin Storage (kg)	Dimensions (W)idth x (D)epth x (H)eight (mm)	Ship Weight (kg)
	B25	110	768 x 787 x 711	34
	B40	156	768 x 787 x 953	47
	B42	160	559 x 787 x 1270	45
	B55	232	768 x 787 x 1270	57
	B110	388	1219 x 787 x 1270	87
	B700-30	308	768 x 787 x 1524	96
	B1000-48	454	1219 x 787 x 1424	122
	B1300-48	599	1219 x 787 x 1651	123
	B1325-60	601	1524 x 787 x 1424	146
	B1600-60	753	1524 x 787 x 1651	154



Bin Top Adapters

Bin Tops - for combining wider bins with smaller models		
Model Number	Description	Ship Weight (kg)
KBT5	Bin Top for 768 mm CIM and ICE Series Cuber including the ICE1506 family for B100 only	14
KBT19	Bin Kit for 559 mm CIM, MFI and GEM Series on a 768 mm bin	10
KBT222	Bin top for (2) 559 mm CIM, (2) MFI or (2) GEM Series on B110 bin	15
KBT23	Bin Kit for (1) 559 mm CIM, (1) GEM or (1) MFI Series on a B110 bin	15
KBT24	Bin Kit for (1) GEM or (1) MFI on a 559 mm bin	5
KBTF230	Bin Kit for (2) 768 mm CIM, GEM and MFI Series Cube Ice Makers on 1524 mm bins only	20
BPF-1	Filler Panel Kit with 768 mm CIM, GEM, MFI and ICE Series™ Cube Ice Makers for B110 bins only	4



Bin Accessories

Bin Accessories		
Model Number	Description	Ship Weight (kg)
KLSCO	2.5 liter ice scoop*	1
KSSCO	.5 liter ice scoop*	1
KSHOV	Plastic shovel	2
KSHOB	Bracket shovel	1
KICEP	Plastic paddle	4
KPBRA	Bracket paddle	1

* Ice scoop sold separately for B700-30, B1000-48, B1300-48, B1325-60 and B1600-60 models.



Single Ice Machine Configurations

Model Number	Style	CIM Series Cube Ice Makers			ICE Series Cube Ice Makers			Pearl Ice® Ice Makers		Flake Ice Makers	
		559 mm wide	768 mm wide	1226 mm wide	559 mm wide	768 mm wide	1226 mm wide	534 mm wide	768 mm wide	534 mm wide	768 mm wide
B25PP**	Slope Front	KBT19	△	N/A	KBT19	△	N/A	KBT19	△	KBT19	△
B4OPS	Slope Front	KBT19	△	N/A	KBT19	△	N/A	KBT19	△	KBT19	△
B42PS	Slope Front	△	N/A	N/A	△	N/A	N/A	KBT24	N/A	KBT24	N/A
B55PS	Slope Front	KBT19	△	N/A	KBT19	△	N/A	KBT19	△	KBT19	△
B11OPS	Slope Front	KBT23	BPF-1***	△	N/A	BPF-1***	△	KBT23	BPF-1***	KBT23	BPF-1***
B700-30	Upright	△	△	△	△	△	△	△	△	△	△
B1000-48	Upright	△	△	△	△	△	△	△	△	△	△
B1300-48	Upright	△	△	△	△	△	△	△	△	△	△
B1325-60	Upright	△	△	△	△	△	△	△	△	△	△
B1600-60	Upright	△	△	△	△	△	△	△	△	△	△

** Rotocast finish / *** BPF-1 used with B110 bins only. If you have an older model B100 use the KBT5.

△ Kit not required / N/A - Ice Machine and Bin Configurator not applicable

Side-by-Side Ice Machine Configurations

Model Number	Style	CIM Series Cube Ice Makers		ICE Series Cube Ice Makers		Pearl Ice® Ice Makers		Flake Ice Makers	
		559 mm (x2) wide	768 mm (x2) wide	559 mm (x2) wide	768 mm (x2) wide	534 mm (x2) wide	768 mm (x2) wide	534 mm (x2) wide	768 mm (x2) wide
B25PP**	Slope Front	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
B4OPS	Slope Front	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
B42PS	Slope Front	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
B55PS	Slope Front	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
B11OPS	Slope Front	KBT222	N/A	N/A	N/A	KBT222	N/A	KBT222	N/A
B700-30	Upright	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
B1000-48	Upright	△△	N/A	△△	△△	△△	N/A	△△	N/A
B1300-48	Upright	△△	N/A	△△	△△	△△	N/A	△△	N/A
B1325-60	Upright	△△	KBTF230*	△△	KBTF215O6	△△	KBTF230*	△△	KBT230*
B1600-60	Upright	△△	KBTF230*	△△	KBTF215O6	△△	KBTF230*	△△	KBT230*

* Must use remote or water cooled model only / ** Rotocast finish








△ Kit not required / N/A - Ice Machine and Bin Configurator not applicable

There are times when it is desirable to install (2) ice machines side-by-side on a bin.

The reasons may range from gaining maximum output to creating redundancy.

Ice-O-Matic offers on array of kits and bins with custom order tops for just such applications.



Dimensions (H)eight x (D)epth x (W)idth - (mm)	Model No.	Description	Flow Rate Max (gpm)	Pressure Max (psi)	Max Operating Temp (°C)	Micron Rating	Ship Weight (kg)	Pack Qty
265 x 153 x 102 	IFQ1-S	Single Filter	.75	125	38	0.5	1	N/A
381 x 153 x 102 	IFQ1	Single Filter	1.5	125	38	0.5	2	10
534 x 153 x 102 	IFQ1-XL	Single Filter	2.25	125	38	0.5	3	N/A
407 x 254 x 181 	IFQ2	Dual Filter	3	125	38	0.5	4	N/A
590 x 331 x 119 	IFQ2-XL	Dual Filter	4.5	125	38	0.5	4	N/A
299 x 70 	IFI4C	Single Inline Cartridge 6.35 mm Compression	1.0	100	38	10	1	12
299 x 70 	IFI8C	Single Inline Cartridge 9.525 mm Compression	1.0	100	38	10	1	12



IOM Replacement Cartridges		
Model Number	Description	Pack Qty
IOMQ-S	Single quick twist replacement cartridge for IFQ1-S	N/A
IOMQ	Single quick twist replacement cartridge for IFQ1 or IFQ2	10
IOMQ-XL	Single quick twist replacement cartridge for IFQ1-XL	N/A
IOMWFRC	Single replacement filter with male quick connect fittings for manifold filter systems	10



Water Filter Application Charts - CUBE						
Model Number	ICEU070	ICEU225 ICEU305	CIMO325 – CIMO435	CIMO525 – CIMO635	CIMO825 – CIMO835	CIM1125 – CIM1135
IFQ1-S	X	X				
IFQ1			X			
IFQ1-XL				X		
IFQ2					X	X
IFQ2-XL						
IF14C / IF18C	X	X				

PEARL			GEM	
Model Number	GEMO655	GEMO955	MFIO805	MF11255
IFQ1-S				
IFQ1	X			
IFQ1-XL		X	X	X
IFQ2				
IFQ2-XL				
IF14C / IF18C				

FILTER CARTRIDGE FEATURES:

Inhibit the formation of scale • Remove dirt and sediment • Reduce chlorine, taste and odor
Ice-O-Matic recommends the use of water filtration with all ice-making products.



11100 East 45th Avenue • Denver, CO 80239
phone 866.PUREICE • www.iceomatic.com

©2015 Ice-O-Matic. ® a Registered Trademark of Ice-O-Matic.
We reserve the right to make changes in design, specifications, and content at any time without obligation.
AgION® antimicrobial is registered with EPA and is a trademark of AgION Technologies.

an Ali Group Company

