

■ Ice cream making

1. Please pour the ice cream mix without carburetor.



2. Please put the carburetor in and control the hole. (Refer to the below)



3. Please press 'WASH' for 20~30sec. to stir the ice cream mix well.



4. Please press 'AUTO' to make ice cream.



5. Please wait until the ice cream level is 100%.



6. Please pull the lever to dispense the ice cream.



※ Ice cream mix recipe might differ from products.
Please apply the mix after carefully reading the directions.



How to control carburetor's hole

1. There are 3 holes on carburetor.
2. The smaller hole is, The higher air content would be. But it makes ice cream mix injection slower. So possible quantity of consecutive dispense will be decrease.
3. Adjust it properly per sales quantity to maintain best quality of ice cream.

Hole size	Air injection Speed	Ice cream overrun
Large	▲	▼
Medium	=	=
Small	▼	▲

■ Cleaning

1. Please remove the carburetor.



2. Please fill the tank with water.
(It's better to use warm water)



3. Please press 'WASH' for cleaning.



4. Please add some kitchen detergent to the mix tank, if needed.



5. Please pull the lever and remove the ice cream mix.



6. Clean the mix tank.



7. Please disassemble the parts and clean.



8. Please put edible grease on the piston and packing javara.



9. Please reassemble the parts to the machine.




NOTE

- Please dry the parts before re-attach to the machine.

Electrical connection

1. Please check the voltage (Electrical specification label is on the side of machine).



2. Please connect the power supply and check the current voltage.



3. Please turn on the machine and pour the ice cream mix.




4. Please press 'SET' button and go to the setting No.1-3.



5. If the voltage displayed in setting No.1-3 doesn't match to the current voltage, It has to be adjusted.



6. Open the panel and check the control pcb board. (About the location of pcb board, please check the manual)



7-1. Turn the button clockwise to increase voltage.




8. Check the changed voltage on the display board.




7-2. Turn the button counterclockwise to decrease voltage.



9-1. Please press 'SET' and 'SELECT' at same time for 3 sec.



9-2. Please input 4 digit pass word.



10. Please go to the setting No.4-13.



11. Please change the right standard value (Voltage & Hertz).



12. Please press "AUTO" to make ice cream.

